

DKTF 96 SC



DKTF 96 SC



DKTF 96 SC - the next step in yield potential when straight cutting DEKALB canola.

- A high yielding DEKALB® hybrid with straight cut plus genetics TruFlex™ canola with Roundup Ready® Technology providing enhanced weed control
- Improved pod integrity
- Mid Maturity hybrid
- Blackleg - R Rating (AG)



CATEGORY	CHARACTERISTIC	VALUE
Management	Value Added Trait	TruFlex
	Maturity relative to 74-44 BL	1.3
Diseases/Insects	Blackleg Rating	R (AG)
	Blackleg Rating % Of Westar	15.4
	Fusarium Wilt	R
	Clubroot	-
Plant Characteristics	Plant Height in Inches	44.5
	Standability	2.5
	Straight Cut Flexibility	SC

For more information on TruFlex™ canola with Roundup Ready® Technology, visit TruFlex.ca.

DKTF 96 SC



JumpStart XL is shown to promote early vigour, greater stress tolerance, earlier and more even maturity and higher yield potential by increasing the availability of phosphate to the plant. In 75 independent large-plot research trials, crops treated with JumpStart averaged 7% higher yields than untreated.*

*Results from Western Canada from 1995-2017. Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields.

Click [here](#) for more information on seed treatment options for DEKALB Canola



Source: n = 16, 2019 Bayer Market Development Trials



Legend

TRAITS

TruFlex = TruFlex™ canola with Roundup Ready® Technology

LibertyLink = LibertyLink® Technology

RR = Roundup Ready® Canola

STRAIGHT CUT FLEXIBILITY

SC = Straight Cut

DS = Delay Swathing

S = Swath at 50-70% SCC

STANDABILITY

1 = Excellent, 9 = Poor

BLACKLEG RESISTANCE LABELS

BLACKLEG RESISTANCE GENES: RESISTANCE A = RLM1 OR LEPR3

RESISTANCE B = RLM2

RESISTANCE C = RLM3

RESISTANCE D = LEPR1

RESISTANCE E1 = RLM4

RESISTANCE E2= RLM7

RESISTANCE F = RLM9

RESISTANCE G = RLMS

RESISTANCE H = LEPR2

X = UNKNOWN

BLACKLEG RESISTANCE RATING

(% OF WESTAR CHECK)

R = 0-29.9

MR = 30-49.9

MS = 50-69.9

S = 70-100